

73

# POLARIS

R



- Tread patterns optimized for extreme traction
- Ideal for both hard-pack
   and loose trail



#### **PRO ARMOR DUAL-THREAT**

Dual-compound technology and radial construction offer performance in all terrains
Softer durometer rubber on outer edge for overall superior grip and feel
Harder durometer rubber in the middle for increased traction during acceleration and longer tread life

			TREAD DEPTH	TIRE WEIGHT	PLY RATING	SIDEWALL BELTS	LOAD RATING	RGR RZR GRL SPM
14" +	<b>26" × 9" R14</b> 5416340	FRONT		27 LBS			<b>910</b> LBS	
14" +	<b>26" × 11" R14</b> 5416341	REAR		<b>30</b> LBS			<b>1,110</b> LBS	
14" +	<b>29" × 9" R14</b> 5416342	FRONT	16mm 30 LBS	10	3	<b>1,110</b> LBS		
14" +	<b>29" × 11" R14</b> 5416343	REAR		35 LBS			1,320 LBS	
15" ↓	<b>32" × 10" R15</b> 5416753	FRONT/ REAR		<b>38</b> LBS			<b>1,990</b> LBS	



#### **PRO ARMOR CRAWLER XG**

Built to crawl over all obstacles, both large and small

A soft, sticky compound makes this tire ideal for both rock crawling and desert running
8-ply, triple-belted ballistic sidewalls resist punctures

			TREAD DEPTH	TIRE WEIGHT	PLY RATING	SIDEWALL BELTS	LOAD RATING	RGR RZR GRL	SPM
-	<b>30" × 10" R14</b> 5415616		38 LBS			1,280 LBS			
4	<b>32" × 10" R14</b> 5416113		-	41 LBS			1,420 LBS		
5"	<b>28" × 10" R15</b> 5416346			33 LBS			1,100 LBS		
5"	<b>30" × 10" R15</b> 5416397	FRONT/ REAR	20mm	39 LBS	8	3	1,280 LBS		
5"	<b>32" × 10" R15</b> 5416699			42 LBS			1,390 LBS		
5"	<b>33" × 10" R15</b> 5418255		-	44 LBS			1,520 LBS		
5"	<b>32" × 10.5" R16</b> 5416401			44 LBS			1,420 LBS		



#### **PRO ARMOR CRAWLER XR**

• Premium grip for all terrains, from the trail to the rocks

Square block profile for even surface contact

 ${\mbox{ \bullet}}$  A tougher durometer than the XG to take on the toughest the trail has to offer

			TREAD DEPTH	TIRE WEIGHT	PLY RATING	SIDEWALL BELTS	LOAD RATING	RGR RZR GRL SPM
<b>14</b> " ↓	<b>28" × 10" R14</b> 5415536			32 LBS			1,140 LBS	
↑ 15" ↓	<b>30" × 10" R15</b> 5418254	FRONT/	10	37 LBS			1,280 LBS	
15"	<b>32" × 10" R15</b> 5416114	REAR	16mm	39 LBS	8	3	1,390 LBS	
↑ 15" ↓	<b>33" × 10" R15</b> 5417174			39 LBS			1,390 LBS	

# X TERRAIN

Built to perform through the toughest obstacles on any trail
Durability-driven design to provide a comfortable, confident ride
8-ply, triple-belted ballistic sidewalls resist punctures

			TREAD DEPTH	TIRE WEIGHT	PLY RATING	SIDEWALL BELTS	LOAD RATING	RGR RZR GRL SPM
14°	<b>27" × 9" R14</b> 5418330	FRONT		<b>26</b> LBS			805 LBS	
14°	<b>27" × 11" R14</b> 5418331	REAR	10	<b>31</b> LBS	8	3	965 LBS	
14°	<b>29" × 9" R14</b> 5418332	FRONT	16mm	30 LBS	8	3	<b>1,100</b> LBS	
↑ 14" ↓	<b>29" × 11" R14</b> 5418333	REAR		35 LBS			<b>1,320</b> LBS	



#### **PRO ARMOR ATTACK 2.0**

• Engineered for excellent hard-pack performance

• Dual-compound technology and radial construction offer performance in all terrains

• Tight tread pattern for quieter ride





#### **PRO ARMOR ATTACK**

- The best all-purpose tire for all-season traction in any terrain
- Unique, full-face tread design
- Harder durometer lugs promote extended wear, increasing tire life
- Wider spaced lugs provide more grip in softer terrain





#### **PRO ARMOR PRO RUNNER**

- Designed to be lightweight, high-performance and quicker in corners/flats
- Triple-belted sidewalls offer extra protection where it's needed the most
- Lug separation provides a great grip and an easy clean in mud and sand

			TREAD DEPTH	TIRE WEIGHT	PLY RATING	SIDEWALL BELTS	LOAD RATING	RGR RZR GRL SPM
15"	<b>30" × 9" R15</b> 5417531			30 LBS			1,170 LBS	
15"	<b>32" × 9.5" R15</b> 5417532	FRONT/ REAR	14mm	36 LBS	8	з	1,390 LBS	
15"	<b>33" × 9.5" R15</b> 5417533			38 LBS			<b>1,480</b> LBS	



#### **PRO ARMOR CRAWLER AT**

- Directional tread for optimal performance
- Greater lug separation for easy mud clean out
- 8-ply, triple-belted ballistic sidewalls resist punctures

			TREAD DEPTH	TIRE WEIGHT	PLY RATING	SIDEWALL BELTS	LOAD RATING	RGR RZR GRL	SPIM
15" •	<b>30" × 10" R15</b> 5417534	FRONT/	10	36 LBS		_	<b>1,280</b> LBS		
15" +	<b>32" × 10" R15</b> 5417535	REAR	18mm	<b>39</b> LBS	8	3	<b>1,390</b> LBS		



#### **PRO ARMOR MUD XC**

- Designed as the perfect mud-trail crossover for a smooth ride on the trail and aggressive traction in the mud
- Dual-compound technology with harder durometer lugs
- promote extended wear, increasing tire life
- 10-ply construction means added protection in the toughest terrain

			TREAD DEPTH	TIRE WEIGHT	PLY RATING	SIDEWALL BELTS	LOAD RATING	RGR GRL SPN
14°	<b>27" × 9" R14</b> 5416947	FRONT		<b>30</b> LBS			<b>1,170</b> LBS	
14" •	<b>27" × 11" R14</b> 5416948	REAR	30mm	<b>32</b> LBS	10	3	<b>1,320</b> LBS	
14" •	<b>29" × 10" R14</b> 5416946	FRONT/	JUmm	<b>39</b> LBS	10	3	<b>1,390</b> LBS	
<b>15</b> " ↓	<b>30" × 10" R15</b> 5418253	REAR		<b>39</b> LBS			<b>1,280</b> LBS	



• Tread patterns optimized for extreme traction Ideal for both hard-pack and loose trail

• Extra deep treads Self-cleaning lugs

# **PRO ARMOR XD-K**

• 26" Aramid fiber-belted tire to tackle any terrain

• Unique full-face tread design

• Harder durometer lugs promote extended wear, increasing tire life

			TREAD DEPTH	TIRE WEIGHT	PLY RATING	SIDEWALL BELTS	LOAD RATING	RGR RZR	GRL SPM
↑ 12" ↓	<b>26" × 9" R12</b> 5415756	FRONT	31.7mm	28 LBS	10	3/1 Aramid	855 LBS	L	
12" ↓	<b>26" × 11" R12</b> 5415757	REAR	31.7mm	32 LBS	10	Fiber Belt	<b>1,100</b> LBS	I	

#### **PRO ARMOR HD-K**

• Designed to provide a smooth ride and aggressive traction in all riding terrains • Triple-belted sidewall provides extreme protection and extends the tire life • Quad belt tread core offers superior protection and longer tread life





## **PRO ARMOR HARVESTER**

• All-around work horse with tread life of 5,000 miles / 8,047 km

• Tread pattern designed to withstand anything from the farmyard to the pastures and the trail • With 10-ply, it can carry the load day in and day out



#### **PRO ARMOR PRESERVE**

• Turf-friendly for areas where low-impact from tire tread is needed • Rounded profile and special tread pattern to limit footprint





#### **PRO ARMOR MUD XC**

• Designed as the perfect mud-trail crossover for a smooth ride on the trail and aggressive traction in the mud

• Dual-compound technology with harder durometer lugs

promote extended wear, increasing tire life

• 10-ply construction means added protection in the toughest terrain

			TREAD DEPTH	TIRE WEIGHT	PLY RATING	SIDEWALL BELTS	LOAD RATING	RGR RZR GRL SPM
14"	<b>27" × 9" R14</b> 5416947	FRONT		30 LBS			<b>1,170</b> LBS	
14"	<b>27" × 11" R14</b> 5416948	REAR	20	32 LBS	10	-	1,320 LBS	
14"	<b>29" × 10" R14</b> 5416946	FRONT/	<b>30</b> mm	39 LBS	10	3	1,390 LBS	
15"	<b>30" × 10" R15</b> 5418253	REAR	3	39 LBS			1,280 LBS	

## **PRO ARMOR MUD XT**

- Aggressive traction in the mud
- Dual-compound technology with harder durometer lugs to promote extended wear and increase tire life
- 10-ply construction for added protection in the toughest terrain

			TREAD DEPTH	TIRE WEIGHT	PLY RATING	SIDEWALL BELTS	LOAD RATING	RGR RZR GRL SPM
15" •	<b>32" × 9" R15</b> 5417530	FRONT/ REAR	<b>30</b> mm	<b>41</b> LBS	10	3	<b>1,320</b> LBS	




Flexible "grippy" tread

Aggressive side bite

# PRO ARMOR CRAWLER XG

- Built to crawl over all obstacles, both large and small
- A soft, sticky compound makes this tire ideal for both rock crawling and desert running


• 8-ply, triple-belted ballistic sidewalls resist punctures



#### **PRO ARMOR CRAWLER XR**

- Premium grip for all terrains, from the trail to the rocks
- Square block profile for even surface contact

• A tougher durometer than the XG to take on the toughest the trail has to offer



#### **PRO ARMOR CRAWLER AT**

- Directional tread for optimal performance
- Greater lug separation for easy mud clean out
- 8-ply, triple-belted ballistic sidewalls resist punctures

			TREAD DEPTH	TIRE WEIGHT	PLY RATING	SIDEWALL BELTS	LOAD RATING	RGR
15"	<b>30" × 10" R15</b> 5417534	EDONT/		1,280 LBS				
15"	<b>32" × 10" R15</b> 5417535	REAR	18mm	39 LBS	8	3	<b>1,390</b> LBS	



#### **PRO ARMOR PRO RUNNER**

- Designed to be lightweight, high-performance and quicker in corners/flats
- $\ensuremath{\cdot}$  Triple-belted sidewalls offer extra protection where it's needed the most
- Lug separation provides a great grip and an easy clean in mud and sand

			TREAD DEPTH	TIRE WEIGHT	PLY RATING	SIDEWALL BELTS	LOAD RATING	RGR RZR GRL SPM
15"	<b>30" × 9" R15</b> 5417531			<b>30</b> LBS			<b>1,170</b> LBS	
15" •	<b>32" × 9.5" R15</b> 5417532	FRONT/ REAR	14 <sub>mm</sub>	<b>36</b> LBS	8	3	1,390 LBS	
15" •	<b>33" × 9.5" R15</b> 5417533		3	<b>38</b> LBS			<b>1,480</b> LBS	



#### **PRO ARMOR ATTACK 2.0**

- Engineered for excellent hard-pack performance
- Dual-compound technology and radial construction offer performance in all terrains
- Tight tread pattern for quieter ride

			TREAD DEPTH	TIRE WEIGHT	PLY RATING	SIDEWALL BELTS	LOAD RATING	RGR RZR GRL SPM
15"	<b>28" × 10" R15</b> 5416344			32 LBS			1,110 LBS	
15" L	<b>30" × 10" R15</b> 5416345	FRONT/ REAR	25mm	38 LBS	10	з	<b>1,235</b> LBS	
15" +	<b>32" × 10" R15</b> 5418252			44 LBS			<b>1,390</b> LBS	



#### **PRO ARMOR DUAL-THREAT**

- Dual-compound technology and radial construction offer performance in all terrains
- Softer durometer rubber on outer edge for overall superior grip and feel
- ${\boldsymbol{\cdot}}$  Harder durometer rubber in the middle for increased traction during acceleration and longer tread life

			TREAD DEPTH	TIRE WEIGHT	PLY RATING	SIDEWALL BELTS	LOAD RATING	RGR RZR GRL SPM
14" +	<b>26" × 9" R14</b> 5416340	FRONT		<b>27</b> LBS			910 LBS	
14" +	<b>26" × 11" R14</b> 5416341	REAR	REAR FRONT <b>16mm</b>	<b>30</b> LBS			<b>1,110</b> LBS	
14" +	<b>29" × 9" R14</b> 5416342°	FRONT		30 LBS	10	з	1,110 LBS	
14"	<b>29" × 11" R14</b> 5416343	REAR		35 LBS			1,320 LBS	
15"	<b>32" × 10" R15</b> 5416753	FRONT/ REAR		38 LBS			<b>1,990</b> LBS	



 Provides traction and durability


 Built to perform in hard sand, jagged rocks or any other extreme terrain



#### **PRO ARMOR DUAL-THREAT**

- Dual-compound technology and radial construction offer performance in all terrains
- Softer durometer rubber on outer edge for overall superior grip and feel

Harder durometer rubber in the middle for increased traction during acceleration
 and longer tread life





#### **PRO ARMOR PRO RUNNER**

Designed to be lightweight, high-performance and quicker in corners/flats
Triple-belted sidewalls offer extra protection where it's needed the most
Lug separation provides a great grip and an easy clean in mud and sand

			TREAD DEPTH	TIRE WEIGHT	PLY RATING	SIDEWALL BELTS	LOAD RATING	RGR RZR GRL SPM
15"	<b>30" * 9" R15</b> 5417531 <b>32" * 9.5" R15</b> 5417532 <b>33" * 9.5" R15</b> 5417533			30 LBS			<b>1,170</b> LBS	
15"		FRONT/ REAR	14mm	36 LBS	8	3	<b>1,390</b> LBS	
15" •			3	38 LBS			<b>1,480</b> LBS	



#### **PRO ARMOR CRAWLER XG**

• Built to crawl over all obstacles, both large and small

• A soft, sticky compound makes this tire ideal for both rock crawling and desert running

8-ply, triple-belted ballistic sidewalls resist punctures

			TREAD DEPTH	TIRE WEIGHT	PLY RATING	SIDEWALL BELTS	LOAD RATING	RGR RZR GRL SPM		
14"	<b>30" × 10" R14</b> 5415616			38 LBS			1,280 LBS			
14"	<b>32" × 10" R14</b> 5416113			<b>41</b> LBS		1,420 LBS				
15"	<b>28" × 10" R15</b> 5416346			33 LBS			1,100 LBS			
15"	<b>30" × 10" R15</b> 5416397	FRONT/ REAR	<b>20</b> mm	39 LBS	8	з	1,280 LBS			
15"	<b>32" × 10" R15</b> 5416699		4			42 LBS			1,390 LBS	
15"	<b>33" × 10" R15</b> 5418255			44 LBS			1,520 LBS			
16" +	<b>32" × 10.5" R16</b> 5416401			44 LBS	-		1,420 LBS			



#### **PRO ARMOR ATTACK 2.0**

• Engineered for excellent hard-pack performance

- Dual-compound technology and radial construction offer performance in all terrains
- Tight tread pattern for quieter ride

			TREAD DEPTH	TIRE WEIGHT	PLY RATING	SIDEWALL BELTS	LOAD RATING	RGR RZR GRL SPM
15" +	<b>28" × 10" R15</b> 5416344			32 LBS			1,110 LBS	
15"	<b>30" × 10" R15</b> 5416345	FRONT/ REAR	25mm	38 LBS	10	3	1,235 LBS	
15" •	<b>32" × 10" R15</b> 5418252			44 LBS			<b>1,390</b> LBS	



#### **PRO ARMOR CRAWLER AT**

- Directional tread for optimal performance
- Greater lug separation for easy mud clean out
- 8-ply, triple-belted ballistic sidewalls resist punctures

			TREAD DEPTH	TIRE WEIGHT	PLY RATING	SIDEWALL BELTS	LOAD RATING	RGR GRL SPM
15" ↓	<b>30" × 10" R15</b> 5417534	FRONT/	18mm	36 LBS		-	1,280 LBS	
15" •	<b>32" × 10" R15</b> 5417535	REAR		39 LBS	8	3	<b>1,390</b> LBS	



## **PRO ARMOR CRAWLER XR**

- Premium grip for all terrains, from the trail to the rocks
- Square block profile for even surface contact
- A tougher durometer than the XG to take on the toughest the trail has to offer

			TREAD DEPTH	TIRE WEIGHT	PLY RATING	SIDEWALL BELTS	LOAD RATING	RGR RZR GRL SPM
14" ↓	<b>28" × 10" R14</b> 5415536			<b>32</b> LBS			<b>1,140</b> LBS	
15"	<b>30" × 10" R15</b> 5418254	FRONT/	16mm	<b>37</b> LBS			<b>1,280</b> LBS	
15" •	<b>32" × 10" R15</b> 5416114	REAR	TOWW	<b>39</b> LBS	8	3	<b>1,390</b> LBS	
15"	<b>33" × 10" R15</b> 5417174			<b>39</b> LBS			<b>1,390</b> LBS	



## **PRO ARMOR ATTACK**

- The best all-purpose tire for all-season traction in any terrain
- Unique, full-face tread design
- Harder durometer lugs promote extended wear, increasing tire life
- Wider spaced lugs provide more grip in softer terrain





 Paddles provide traction and durability in soft sand

• Built to float on top of sand



FRONT

REAR

#### **PRO ARMOR SAND 12XT**

• Unique 3-tier concave design on front tires

• Wider rear tires for more traction, plus better grip and flotation on the sand

• 12 paddles for optimized performance on non-turbo models

• 28mm paddle depth specifically designed for increased traction, while limiting sand throw



FRONT



REAR

#### **PRO ARMOR SAND 16XT**

Unique 3-tier concave design on front tires

- Wider rear tires with additional paddles for more traction,
- better grip and flotation on the sand
- 16 paddles for optimized performance and traction on turbo models
- 28mm paddle depth specifically designed for increased traction, while limiting sand throw

			tread Depth	TIRE WEIGHT	PLY RATING	SIDEWALL BELTS	LOAD RATING	RGR GRL GRL
15" •	<b>30" × 11" R15</b> 5416951	FRONT	13mm	<b>23</b> LBS			855 LBS	
15" •	<b>30" × 14" R15</b> 5416953	REAR	<b>28</b> mm	34 LBS	4	2	925 LBS	
15" •	<b>32" × 12" R15</b> 5416952	FRONT	13mm	27 LBS	4	E	<b>1,020</b> LBS	
15"	<b>32" × 15" R15</b> 5416950	REAR	<b>28</b> mm	36 LBS			<b>1,280</b> LBS	

- Triple-belted sidewalls to resist puncture
- Purpose-built, long lasting tread patterns





#### **PRO ARMOR PRESERVE**

• Turf-friendly for areas where low-impact from tire tread is needed

Rounded profile and spec	cial tread pattern	to limit footprint
--------------------------	--------------------	--------------------

			TREAD DEPTH	TIRE WEIGHT	PLY RATING	SIDEWALL BELTS	LOAD RATING	RGR
↑ 12" ↓	<b>26" × 8" R12</b> 5416403	FRONT		24 LBS			855 LBS	L
↑ 12" ↓	<b>26" × 10" R12</b> 5416402	REAR	16mm	28 LBS	10	3	<b>1,320</b> LBS	I
14" +	<b>27" × 10" R14</b> 5416348	FRONT/ REAR		<b>28</b> LBS			<b>1,390</b> LBS	I



## **PRO ARMOR XD-K**

• 26" Aramid fiber-belted tire to tackle any terrain

• Unique full-face tread design

• Harder durometer lugs promote extended wear, increasing tire life

			TREAD DEPTH	TIRE WEIGHT	PLY RATING	SIDEWALL BELTS	LOAD RATING	RGR R7R
↑ 12" ↓	<b>26" × 9" R12</b> 5415756	FRONT	01.7	28 LBS	10	3/1 Aramid	855 LBS	L
↑ 12" ↓	<b>26" × 11" R12</b> 5415757	REAR	31.7mm	32 LBS	10	Fiber Belt	<b>1,100</b> LBS	ľ



#### **X TERRAIN**

- Built to perform through the toughest obstacles on any trail
- Durability-driven design to provide a comfortable, confident ride
- 8-ply, triple-belted ballistic sidewalls resist punctures

			TREAD DEPTH	TIRE WEIGHT	PLY RATING	SIDEWALL BELTS	LOAD RATING	RGR RZR GRL SPM
14°	<b>27" × 9" R14</b> 5418330	FRONT	16mm	<b>26</b> LBS			805 LBS	
14° +	<b>27" × 11" R14</b> 5418331	REAR		31 LBS	8	3	965 LBS	
14°	<b>29" × 9" R14</b> 5418332	FRONT		<b>30</b> LBS	8		<b>1,100</b> LBS	
14" +	<b>29" × 11" R14</b> 5418333	REAR		35 LBS			<b>1,320</b> LBS	



## **PRO ARMOR HARVESTER**

- All-around work horse with tread life of 5,000 miles / 8,047 km
- Tread pattern designed to withstand anything from the farmyard to the pastures and the trail
- With 10-ply, it can carry the load day in and day out

			TREAD DEPTH	TIRE WEIGHT	PLY RATING	SIDEWALL BELTS	LOAD RATING	RGR RZR GRL SPM
↑ 12" ↓	<b>26" × 8" R12</b> 5416396	FRONT		24 LBS			855 LBS	
↑ 12" ↓	<b>26" × 10" R12</b> 5415966	REAR		<b>32</b> LBS		3	1,355 LBS	
14" +	<b>27" × 10" R14</b> 5415965	FRONT/ REAR	16mm	<b>32</b> LBS	10		1,320 LBS	
14"	<b>28" × 10" R14</b> 5416347	FRONT/ REAR		34 LBS			<b>1,390</b> LBS	
15" 1	<b>30" × 10" R15</b> 5417529	FRONT/ REAR		<b>37</b> LBS			<b>1,320</b> LBS	



## PRO ARMOR HD-K

- Designed to provide a smooth ride and aggressive traction in all riding terrains
- $\mbox{ \bullet}$  Triple-belted sidewall provides extreme protection and extends the tire life
- Quad belt tread core offers superior protection and longer tread life



			TREAD DEPTH	TIRE WEIGHT	PLY RATING	SIDEWALL BELTS	LOAD RATING	RGR RZR GRL SPM
14" +	<b>29" × 10" R14</b> 5417507	FRONT/ REAR	<b>31.8</b> mm	40 LBS	10	3/1 Aramid	<b>1,320</b> LBS	



Handles extreme cold

 Holds shape and provides traction





#### **PRO ARMOR XD-K**

• 26" Aramid fiber-belted tire to tackle any terrain

• Unique full-face tread design

• Harder durometer lugs promotes extended wear, increasing tire life

			TREAD DEPTH	TIRE WEIGHT	PLY RATING	SIDEWALL BELTS	LOAD RATING	RGR RZR GRL SPM
↑ 12" ↓	<b>26" × 9" R12</b> 5415756	FRONT	31.7mm	28 LBS	10	3/1 Aramid	855 LBS	
↑ 12" ↓	<b>26" × 11" R12</b> 5415757	REAR		32 LBS		Fiber Belt	<b>1,100</b> LBS	



#### **PRO ARMOR WHITEOUT**

• Extra wide tires for flotation in snow

- Cross-hatched tread pattern designed for superior snow traction with limited digging
- 2-ply sidewall designed to balloon for maximum use of its 15" wide contact patch
- Stud compatible





#### **PRO ARMOR HARVESTER**

- All-around work horse with tread life of 5,000 miles / 8,047 km
- Tread pattern designed to withstand anything from the farmyard to the pastures and the trail
- With 10-ply, it can carry the load day in and day out

			tread Depth	TIRE WEIGHT	PLY RATING	SIDEWALL BELTS	LOAD RATING	RGR GRL GRL
↑ 12" ↓	<b>26" × 8" R12</b> 5416396	FRONT	16mm	24 LBS		3	855 LBS	
↑ 12" ↓	<b>26" × 10" R12</b> 5415966	REAR		<b>32</b> LBS			<b>1,355</b> LBS	
14"	<b>27" × 10" R14</b> 5415965	FRONT/ REAR		<b>32</b> LBS	10		1,320 LBS	
14" +	<b>28" × 10" R14</b> 5416347	FRONT/ REAR		34 LBS			1,390 LBS	
15"	<b>30" × 10" R15</b> 5417529	FRONT/ REAR		37 LBS			1,320 LBS	



#### **PRO ARMOR ATTACK 2.0**

• Engineered for excellent hard-pack performance

Dual-compound technology and radial construction offer performance in all terrains

Tight tread pattern for quieter ride

			TREAD DEPTH	TIRE WEIGHT	PLY RATING	SIDEWALL BELTS	LOAD RATING	RGR RZR GRL SPM
15"	<b>28" * 10" R15</b> 5416344		25mm	32 LBS		3	1,110 LBS	
15" •	<b>30" × 10" R15</b> 5416345	FRONT/ REAR		38 LBS	10		1,235 LBS	
15" ↓	<b>32" × 10" R15</b> 5418252			44 LBS			<b>1,390</b> LBS	



#### **PRO ARMOR HD-K**

Designed to provide a smooth ride and aggressive traction in all riding terrains

Triple-belted sidewall provides extreme protection and extends the tire life

Quad belt tread core offers superior protection and longer tread life

			TREAD DEPTH	TIRE WEIGHT	PLY RATING	SIDEWALL BELTS	LOAD RATING	RGR RZR GRL SPM
14"	<b>29" × 10" R14</b> 5417507	FRONT/ REAR	31.8mm	40 LBS	10	<b>3/1</b> Aramid	<b>1,320</b> LBS	



#### **PRO ARMOR ATTACK**

- The best all-purpose tire for all-season traction in any terrain
- Unique, full-face tread design
- Harder durometer lugs promote extended wear, increasing tire life
- Wider spaced lugs provide more grip in softer terrain





## **60-SERIES**

A 6301 BEADLOCK							
WEIGHT: 19 LBS	LOAD RATING:	1,600 LBS	<b>OFFSET:</b> +38				
ACCENT:	FRONT/REAR	16"×7"	1523286				
MATTE BLACK:	FRONT/REAR	16"×7"	1523285				



50	J-S	ER	IES

😑 5101 O	RZR
WEIGHT: 14.5 LBS LOAD RATE	NG: 800 LBS OFFSET: -5
MATTE BLACK: FRONT/READ	R 15"×10" 1523149-458

<mark>©</mark> 5201		F	RGR	RZR	GRL
WEIGHT: 17.1 LBS	<b>LOAD RATING</b>	: 1,300 LBS	OFFS	<b>ET:</b> +4	
ACCENT: Matte Black:	FRONT/REAR FRONT/REAR				-

9 5202	RGR	RZR	GRL
WETCUT. 1701 DC	OFFRET	/1	

ACCENT: FRONT/REAR 15"×7" 1523102-266 MATTE BLACK: FRONT/REAR 15" × 7" 1523102-458

5203 BEADLOCK OO RGR RZR GRL

WEIGHT: 16 LBS LOAD RATING: 1,300 LBS OFFSET: +38

MATTE BLACK: FRONT/REAR 15"×7" 1522435-458

**6** 5204 **0** RGR RZR

WEIGHT: 13.5 LBS LOAD RATING: 1.300 LBS OFFSET: +55

MATTE BLACK: FRONT/REAR 15" × 7" 1522550-458

<b>G</b> 5	5205 RZR	
FRONT	WEIGHT: 15 LBS LOAD RATING: 900 LBS OFFSET: -4	
REAR	WEIGHT: 20 LBS LOAD RATING: 900 LBS OFFSET: -38	

MATTE BLACK: FRONT 15"×8" 1523727-458 REAR 15"×10" 1523728-458

<b>B</b> 5206 <b>5</b>	RZR
WEIGHT: 15.5 LBS LOAD RATING: 1,200 LBS OFFSET: +55	

MATTE BLACK: FRONT/REAR 15" × 7" 1524041 ONLY COMPATIBLE WITH PRO R 4, PRO R, TURBO R 4 & TURBO R

9 5207/5303 🗿	
---------------	--

FRONT WEIGHT: 16 LBS LOAD RATING: 1,260 LBS OFFSET: -4 REAR WEIGHT: 19 LBS LOAD RATING: 1,670 LBS OFFSET: -38 MATTE BLACK: FRONT 15"×8" 1524043

RZR

15"×10" 1524042 REAR ONLY COMPATIBLE WITH PRO R 4, PRO R, TURBO R 4 & TURBO R

0 5208			RZR
WEIGHT: 12.8 LBS	LOAD RATING: 1,200 LBS	<b>OFFSET:</b> +55	

MATTE BLACK: FRONT/REAR 15" × 7" 1525454 6 5301 BEADLOCK RGR RZR GRL WEIGHT: 17 LBS LOAD RATING: 1,600 LBS OFFSET: +38

ACCENT: FRONT/REAR 15"×7" 1523282 MATTE BLACK: FRONT/REAR 15" × 7" 1523266

5302 BEADLOCK (5) RZR

WEIGHT: 16.5 LBS LOAD RATING: 1,670 LBS OFFSET: +55 MATTE BLACK: FRONT/REAR 15" × 7" 1524038

ONLY COMPATIBLE WITH PRO R 4, PRO R, TURBO R 4 & TURBO R 5305 BEADLOCK

RZR WEIGHT: 18.5 LBS LOAD RATING: 1,650 LBS OFFSET: +38

MATTE BLACK: FRONT/REAR 15" × 7" 1525455

# 40-SERIES

N 4101 C	•		9	6PM	<b>B</b> 4204 (	D
WEIGHT: 14.5 L	BS <b>Load Ratin</b>	I <b>G:</b> 800 LE	S <b>offset:</b> -35		FRONT WEIGHT	: 13 LBS <b>LO</b> : 14 LBS <b>LO</b>
MATTE BLACK:	FRONT/REAR	14"×10"	1522958		ACCENT:	FRONT
<b>9</b> 4201 <b>C</b>	>		RGR RZR GRL S			REAR
			D LBS <b>OFFSET:</b> +4 DO LBS <b>OFFSET:</b> -9		MATTE BLACK:	FRONT REAR
REAR WEIGHT:	14185 LUAD RA	,	10185 UFF3E1:-9		<b>5</b> 4205 (	D
ACCENT:	FRONT REAR	14"×7" 14"×8"	1522956-266 1522957-266		FRONT WEIGHT	
MATTE BLACK:			1522956-458		REAR WEIGHT	12.5 LBS <b>L</b>
NOT COMPATIBLE	REAR WITH RZR XP 4 100		1522957-458 2, XP 4 TURBO/TURBO '18-19		MATTE BLACK:	FRONT REAR
P 4202 (	>		RGR RZR GRL S	6PM	LUSTER:	FRONT REAR
FRONT WEIGHT:	12.75 LBS <b>LOAD</b>	RATING: 9	000 LBS <b>OFFSET:</b> +4		_	NEAN
REAR WEIGHT:	13.5 LBS LOAD F	RATING: 1,	300 LBS <b>OFFSET:</b> -9		<b>1</b> 4206 (	D
ACCENT:	FRONT REAR	14" × 7" 14" × 8"	1522544-266 1522545-266		FRONT WEIGHT REAR WEIGHT	: 9.5 LBS <b>L(</b> : 10.75 LBS
MATTE BLACK:	REAR	14" × 8"	1522544-458 1522545-458		MATTE BLACK:	FRONT REAR
NOT COMPATIBLE	WITH RZR XP 4 100	0/1000 '18-2	2, XP 4 TURBO/TURBO '18-19			NEAN
<b>Q</b> 4203 B	BEADLOCH	< <b>0</b> O	RGR RZR GRL S	6PM	U 4301 E	BEADL
FRONT WEIGHT:	13 LBS LOAD RA	<b>TING:</b> 900	LBS OFFSET: +4		WEIGHT: 16 LBS	LOAD RAT
REAR WEIGHT:	14.5 LBS <b>LOAD R</b>	ATING: 1,	300 LBS <b>OFFSET:</b> -9		ACCENT:	FRONT/R
MATTE BLACK:	FRONT REAR		1522238-458 1522239-458		MATTE BLACK: NOT COMPATIBLE	

#### **KNOW YOUR WHEELS**

#### **STEP 1:** SELECT SERIES

4 = 40-SERIES 5 = 50-SERIES 6 = 60-SERIES **STEP 2:** CHOOSE LOAD RATING

1 = <800 LBS**2** = 801 - 1,300 LBS 3 = 1,301 - 1,600 + LBS

#### **STEP 3:** PICK STYLE

**OFFSET / BEADLOCK / COLOR** 

INCREASE OFFSET FROM STOCK = NARROWER STANCE DECREASE OFFSET FROM STOCK = WIDER STANCE

#### 14" FORGED BEADLOCK RINGS

4203 BEADLOCK & HD DUAL BEADLOCK	4301 BEADLOCK REPLACEMENT & HD DUAL BEADLOCK
MACHINED: (INCLUDES BOLTS)	MATTE BLACK:
1522244-266	1523146-458

LBS LOAD RATING: 900 LBS OFFSET: +4 75 LBS LOAD RATING: 1,300 LBS OFFSET: -9 14"×6" 1522542-458 ONT

RGR RZR GR	

LBS LOAD RATING: 900 LBS OFFSET: +4 LBS LOAD RATING: 1.300 LBS OFFSET: -9

14" × 7"	1522546-266
14" × 8"	1522547-266
14" × 7"	1522546-458
14" × 8"	1522547-458

RGR RZR GRL SPM

5 LBS LOAD RATING: 900 LBS OFFSET: +4 5 LBS LOAD RATING: 1,300 LBS OFFSET: -9

14" × 7"	1521507-521
14" × 8"	1521508-521
14" × 7"	1521507-410
14" × 8"	1521508-410

#### RZR SPM

14"×8" 1522543-458

ADLOCK RGR RZR GRL SPM

AD RATING: 1,600 LBS OFFSET: +38

ONT/REAR 14"×7" 1523284 ONT/REAR 14"×7" 1523283 H RZR XP 4 1000/1000 '18-22, XP 4 TURBO/TURBO '18-19

V 4302 BEADLOCK RZR				
WEIGHT: 15 LBS LO	DAD RATING: 1	1,600 LBS	DFFSET: +58	
MATTE BLACK: FF	RONT/REAR	14" × 7"	5418036	
w 4303				RZR
WEIGHT: 13 LBS LC	DAD RATING: 1	l,200 LBS 🛛	DFFSET: +58	
MATTE BLACK: FF	RONT/REAR	14"×7"	5418037	
HD DUAL	BEADLO	ск	RGR RZR	GRL SPM
WEIGHT: 40 LBS LO	DAD RATING:	1,600 LBS	OFFSET: +28	
MATTE BLACK: FF	RONT/REAR	14"×7"	1524022-458	

O BEADLOCK REQUIRED

O LUG NUTS REQUIRED

(5) WHEELS WITH 5 LUG NUTS. ONLY COMPATIBLE WITH RZR PRO R 4, RZR PRO R, RZR TURBO R 4 & RZR TURBO R.

15" FORGED BEADLOCK RINGS

5203 BEADLOCK MACHINED: (INCLUDES BOLTS) 1522240-266

5301 BEADLOCK REPLACEMENT MATTE BLACK: 1523147-458



VISIT OFFROAD.POLARIS.COM FOR MORE INFORMATION ON PRO ARMOR WHEELS & TIRES

